

36" x 6" Stainless Steel Linear Channel Drop-In Pan with AWEIS System - Natural Gas Bundle



Product ID: SS-LCBAWEIS-N-36-BNDL

Weight: 56.000000 lbs

Manufacturer: American Fire Glass

Price: \$3,321.00

Add to Cart

Or Call: (888) 264-1017



36" x 6" Stainless Steel Linear Channel Drop-In Pan with S.I.T. System - Natural Gas Bundle

A warm, cozy fire pit can be an ideal outdoor retreat for family and friends, especially during those cold winter months. Our $36" \times 6"$ linear channel drop-in burner pan with electronic ignition kit (natural gas) is just what your customers will need to organize such an event. With just the flip of a switch, your customers and their guests will be enjoying a brilliant flame and lots of memorable conversations!

Our 36" x 6" linear drop-in pan with electronic ignition kit (natural gas) comes fully equipped with all the following components:

36" x **6"** Linear Channel Drop-in Burner Pan w/ Built-in T-Burner - Our 36" x 6" linear drop-in burner pan comes with a convenient 'lip' so it can be installed into your DIY fire pit and easily removed after use. These burner pans greatly reduce the amount of fire glass your customers will need to fill their fire pit by creating a false bottom which gives the illusion that the fire pit is full, whereas only the top part of it is. All our linear drop-in burner pans are made of 304 stainless steel, which means they are very durable and can withstand extreme heat as well as harsh weather without sustaining any damage or rust. Each comes with a built-in T-burner, 1/2 inch gas inlet and drilled weep holes to prevent water accumulation.

S.I.T. Electronic Ignition Kit (Natural Gas) - Our S.I.T. (Smart Ignition Technology) system is the smallest electronic ignition system available in today's market. Its size makes it ideal for use in fire features with very little vertical space. Developed exclusively to work with fire bowls or fire pit burners, the S.I.T. kit consists of a Hot Surface Ignition control that electronically opens and closes the gas valve. It also features a thermopile with automatic flame sensor for additional safety. This S.I.T. kit has a maximum gas output of 290 BTU/hr, which means it works well with most fire features.



24V Transformer

Safety Shut-Off Valve

Key Valve

Two Gas Flex Lines

Caution: Installing this electronic ignition kit can be dangerous. We do NOT recommend that you attempt to install this product yourself unless you are a <u>certified NFI professional</u>. To find a certified NFI professional in your area, click <u>here</u>.

Linear Flame Guard Features - Fire Pit Flame Guards provide an additional safety barrier, help maintain a central flame during the evening breeze, all while providing an enhanced fire elegance by reflecting the flames on the glass surfaces. Made from tempered glass, all our Fire Pit Flame Guards are heat resistant with polished edges, and designed for use with any fire pit.

Linear Burner Cover Features - Here at American Fire Glass we believe our customers deserve the best products available. To that end we are proud to announce the addition of Fire Pit Pan Covers to our current collection of quality products. As with our quality burner pans, the new Fire Pit Pan Covers are crafted from high quality .304 stainless steel with smooth brushed finish and a heavy duty solid chrome handle. Fire Pit Pan Covers are made to compliment and completely protect their corresponding drop-in pans units. We strongly recommend that you consider protecting your fire feature investment with our splendid new Fire Pit Pan Covers

Save 5% When You Bundle.

This kit comes complete with everything you need to build the ultimate fire pit! All you'll need to do is purchase 30 pounds of your favorite fire glass.

(1) 36" x 6" Stainless Steel Linear Channel Drop-In Pan with S.I.T. System - Natural Gas

(1) Linear Flame Guard - Assembled size 41.5" x 11.5" X 6"

(1) Linear Stainless Steel Burner Cover - Actual size 39" x 9" x 1.5"

Fire Pit Pan Specifications

- 1. Product Weight: 28.00 lbs
- 2. **Material:** 100% 304 Stainless Steel (hand crafted)
- 3. Color: Stainless Steel
- 4. **Dimensions:** 36" L x 6" W x 2" D x 1 1/4" Flange
- 5. **Fire glass capacity:** 30 lbs of fire glass required (not included)
- 6. **Special Feature:** Drilled holes (not punched) in order to prevent whistling
- 7. **Includes:** 1/2 bottom gas inlet for easy installation
- 8. **Burner Heat rating:** 65,000 B.T.U/Hour rating maximum
- 9. For use in: To be used in outdoor, vented, natural gas fire features ONLY
- 10. Installation: Certified NFI Professional Recommended
- 11. Flame / Heat Sense: Thermopile
- 12. **Ignition Type:** Hot Surface Ignition (Glow Plug)
- 13. **Ignition Sequence:** Intermittent Pilot
- 14. **Ignition Source:** Pilot
- 15. S.I.T. Max. Btu Output: 290K Btu/hr



- 16. Inlet / Outlet Size: 1/2" FPT 17. Operating Voltage: 24 volts ac 18. Inlet Gas Press: Limit: 2.0 PSI
- 19. **Valve Enclosure Dim.:** 4 3/8" x 4 3/8" x 4 3/8" (tall)
- 20. Warranty: Pan & Burner 5 year limited warranty, Kit 1 year limited warranty
- 21. User Manual Click Here To Download
- 22. Cutout Size & Recommended Fire Ring: <u>Download Now</u>
- 23. **Prop. 65 Warning:** This product may contain compounds known to the state of California to cause cancer, birth defects, or other reproductive harm.

Flame Guard Specifications

- 1. Clear Tempered Glass Panels
- 2. Polished Aluminum Fire-Resistant Brackets
- 3. Assembled size: 41.5" x 11.5" X 6"

Burner Cover Specifications

- 1. High quality .304 stainless steel
- 2. Smooth brushed finish heavy duty handle
- 3. Actual size: 39" x 9" x 1.5"
- © 2024 American Fire Glass. All Rights Reserved. 570 3rd St Lake Elsinore, CA 92530-2729